

L Number	Hits	Search Text	DB	Time stamp
1	1	("5913210" "20030097291" "5950200" "5832497" "5164897" "5117353" "5704044" "5784539" "5787443" "5862325" "5862223" "5935060" "5948054" "5970502" "5862223" "5862325" "5935060" "5948054" "5970502" "5784539" "5787443" "5704044").pn. AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:38
-	0	((("5948054" "5935060" "5862223" "5784539" "5970502" "5787443" "5704044" "5862325").pn.) AND ((regular\$2 OR periodic\$4) NEAR4 (perform\$3 OR search\$3 OR match\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 18:10
-	0	((("5948054" "5935060" "5862223" "5784539" "5970502" "5787443" "5704044" "5862325").pn.) AND ((regular\$2 OR periodic\$4) NEAR8 (perform\$3 OR search\$3 OR match\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:40
-	13663	((regular\$2 OR periodic\$4) NEAR4 (perform\$3 OR search\$3 OR match\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:34
-	9	((((regular\$2 OR periodic\$4) NEAR4 (perform\$3 OR search\$3 OR match\$3))) AND (expert\$1 AND (client\$1 OR user\$1)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:35
-	21	("5948054" "5935060" "5862223" "5784539" "5970502" "5787443" "5704044" "5862325").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:39
-	3	((("5948054" "5935060" "5862223" "5784539" "5970502" "5787443" "5704044" "5862325").pn.) AND ((regular\$2 OR periodic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:42
-	1	5862223.pn. AND ((regular\$2 OR periodic\$4)) AND updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:42
-	72	dating ADJ2 service\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:56
-	6	(dating ADJ2 service\$1) AND ((periodic\$4 OR regular\$2) NEAR4 (match\$2 OR search\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/03 15:57
-	5946	relational ADJ4 database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:51
-	213	(relational ADJ4 database\$1) AND (third ADJ4 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:21
-	8	((relational ADJ4 database\$1) AND (third ADJ4 table)) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:22

-	8	((relational ADJ4 database\$1) AND (third ADJ4 table)) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3 OR (sub ADJ1 categor\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:42
-	1	6266659.pn. AND table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:41
-	139	(relational ADJ4 database\$1) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3 OR (sub ADJ1 categor\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:44
-	117	((relational ADJ4 database\$1) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3 OR (sub ADJ1 categor\$3)))) AND table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:45
-	8	((relational ADJ4 database\$1) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3 OR (sub ADJ1 categor\$3)))) AND (third NEAR4 table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:46
-	143	((relational ADJ4 database\$1) AND (third ADJ4 table)) AND 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:48
-	7	((relational ADJ4 database\$1) AND (categor\$3 AND (sub-categor\$3 OR subcategor\$3 OR (sub ADJ1 categor\$3)))) AND (match\$3 NEAR4 (expert\$1 OR people\$1 OR client\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/19 21:52
-	744	categor\$3 AND subcategor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:46
-	2404	entit\$3 AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:33
-	62	(entit\$3 AND (relational NEAR2 database\$1)) AND (categor\$3 AND subcategor\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:50
-	62	((entit\$3 AND (relational NEAR2 database\$1)) AND (categor\$3 AND subcategor\$3)) AND (descript\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:50
-	57	((entit\$3 AND (relational NEAR2 database\$1)) AND (categor\$3 AND subcategor\$3)) AND (descript\$4)) AND table\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:50
-	1534	(entity OR entities) AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:59
-	40	(categor\$3 AND subcategor\$3) AND ((entity OR entities) AND (relational NEAR2 database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:51
-	36	((categor\$3 AND subcategor\$3) AND ((entity OR entities) AND (relational NEAR2 database\$1))) AND table\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:51

-	36	((((categ\$3 AND subcateg\$3) AND ((entity OR entities) AND (relational NEAR2 database\$1)))) AND table\$1) AND (descript\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 08:51
-	1168	(categ\$3 OR subcateg\$3) NEAR6 descript\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:56
-	84	((categ\$3 OR subcateg\$3) NEAR6 descript\$4) AND (categ\$3 AND subcateg\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:47
-	76	((((categ\$3 OR subcateg\$3) NEAR6 descript\$4) AND (categ\$3 AND subcateg\$3)) AND table\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:47
-	17	((((categ\$3 OR subcateg\$3) NEAR6 descript\$4) AND (categ\$3 AND subcateg\$3)) AND table\$1) AND ((entity OR entities) AND (relational NEAR2 database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:47
-	1168	(categ\$3 OR subcateg\$3 OR (sub ADJ1 categ\$3)) NEAR6 descript\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:56
-	1254	categ\$3 AND (subcateg\$3 OR (sub ADJ1 categ\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:57
-	118	((categ\$3 OR subcateg\$3 OR (sub ADJ1 categ\$3)) NEAR6 descript\$4) AND (categ\$3 AND (subcateg\$3 OR (sub ADJ1 categ\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:59
-	18	((((categ\$3 OR subcateg\$3 OR (sub ADJ1 categ\$3)) NEAR6 descript\$4) AND (categ\$3 AND (subcateg\$3 OR (sub ADJ1 categ\$3)))) AND ((entity OR entities) AND (relational NEAR2 database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:57
-	1	((((categ\$3 OR subcateg\$3 OR (sub ADJ1 categ\$3)) NEAR6 descript\$4) AND (categ\$3 AND (subcateg\$3 OR (sub ADJ1 categ\$3)))) AND ((entity OR entities) AND (relational NEAR2 database\$1))) NOT (((categ\$3 OR subcateg\$3) NEAR6 descript\$4) AND (categ\$3 AND subcateg\$3)) AND table\$1) AND ((entity OR entities) AND (relational NEAR2 database\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:57
-	23	((((categ\$3 OR subcateg\$3 OR (sub ADJ1 categ\$3)) NEAR6 descript\$4) AND (categ\$3 AND (subcateg\$3 OR (sub ADJ1 categ\$3)))) AND table\$1 AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:59
-	1034	(entit\$3 AND (relational NEAR2 database\$1)) AND course\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:35
-	310	((entit\$3 AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:34
-	159	((entit\$3 AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1) AND employee\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:34
-	84	((((entit\$3 AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1) AND employee\$1) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:34
-	697	((entity OR entities) AND (relational NEAR2 database\$1)) AND course\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:35

-	227	((entity OR entities) AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:35
-	111	((entity OR entities) AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1) AND employee\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:35
-	55	((entity OR entities) AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1) AND employee\$1) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:36
-	55	((entity OR entities) AND (relational NEAR2 database\$1)) AND course\$1) AND department\$1) AND employee\$1) AND 707/\$.ccls.) AND descript\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:51
-	1459	categor\$3 NEAR10 descript\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:52
-	237	(categor\$3 NEAR10 descript\$4) AND (entity OR entities)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:52
-	33	((categor\$3 NEAR10 descript\$4) AND (entity OR entities)) AND subcategor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 12:52
-	42	((categor\$3 NEAR10 descript\$4) AND (entity OR entities)) AND (subcategor\$3 OR (sub ADJ1 categor\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:24
-	1	6078891.pn. AND database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:24
-	8	6078891.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:21
-	31	("3956615" "4319336" "4340810" "4355372" "4438824" "4799156" "4943963" "4951196" "4972504" "5103392" "5202977" "5253345" "5315093" "5331544" "5490060" "5490252" "5491473" "5499385" "5513102" "5521363" "5557518" "5557780" "5590196" "5590197" "5592378" "5592560" "5604804" "5608874" "5684965" "5687322" "5832460").PN.	USPAT	2002/11/03 17:24
-	1177	categor\$3 AND (subcategor\$3 OR (sub ADJ1 categor\$3)) AND descript\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:25
-	1	(categor\$3 AND (subcategor\$3 OR (sub ADJ1 categor\$3)) AND descript\$4) AND ("3956615" "4319336" "4340810" "4355372" "4438824" "4799156" "4943963" "4951196" "4972504" "5103392" "5202977" "5253345" "5315093" "5331544" "5490060" "5490252" "5491473" "5499385" "5513102" "5521363" "5557518" "5557780" "5590196" "5590197" "5592378" "5592560" "5604804" "5608874" "5684965" "5687322" "5832460").PN.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:26
-	226	(categor\$3 AND (subcategor\$3 OR (sub ADJ1 categor\$3)) AND descript\$4) AND (entity OR entities)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:26

-	53	((categor\$3 AND (subcategor\$3 OR (sub ADJ1 categor\$3)) AND descript\$4) AND (entity OR entities)) AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 17:27
-	2	5802511.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 18:10
-	2	5802511.pn. AND fi\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 18:49
-	2	5802511.pn. AND "12"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 18:51
-	1	5802511.pn. AND "12" AND (detail\$1 NEAR2 table\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 19:08
-	1	6078891.pn. AND table\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 19:23
-	1	6078891.pn. AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 19:23
-	1	5802511.pn. AND (relational NEAR2 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/03 19:23
-	1	5802511.pn. AND separat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:36
-	2	5802511.pn. AND relational	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:50
-	1	6076091.pn. AND text\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:54
-	1	6076091.pn. AND categor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:57
-	1	6076091.pn. AND relational	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:57
-	4	("5913210" "20030097291").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:14
-	0	5862223.pn. AND priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:14
-	1	("5913210" "20030097291").pn. AND priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:14

-	201	(match\$3 NEAR8 expert\$1) AND (preference\$1 priorit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:17
-	30	(match\$3 NEAR8 expert\$1) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:22
-	1492	(match\$3 NEAR8 (expert\$1 people date user\$1 customer\$1)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:23
-	1444	(match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:39
-	588	((match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND (707/\$.ccls. 705/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:26
-	37	(match\$3 NEAR8 (people)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:27
-	579	((match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:28
-	171	((match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) AND ((preference\$1 priorit\$4 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000) AND (707/\$.ccls. 705/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:26
-	37	(match\$3 NEAR8 (people)) AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:36
-	15	((match\$3 NEAR8 (people)) AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:37
-	1301	(match\$3 NEAR8 (user\$1)) AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:36
-	521	((match\$3 NEAR8 (user\$1)) AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:42
-	117	((match\$3 NEAR8 (user\$1)) AND ((preference\$1 priorit\$5 importan\$3) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000) AND (match\$3 search\$3 quer\$4 dating).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:37

-	506	((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:21
-	218	((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:31
-	86	5862223.URPN.	USPAT;	2004/04/14 19:05
-	52	5862223.URPN. AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:22
-	5	(5862223.URPN. AND @ay<2000) AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:14
-	121	((match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) dating).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:22
-	59	((match\$3 NEAR8 (expert\$1 people user\$1 customer\$1)) dating).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:22
-	218	((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:31
-	93	((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @rlad<20000101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:33
-	50	((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @rlad<20000101) NOT (((match\$3 search\$3 quer\$4 date\$1 dating) NEAR8 (expert\$1 people user\$1 customer\$1)).ti,ab. AND ((preference\$1 priorit\$5 importan\$3 level\$1) NEAR4 (categor\$3 subcategor\$3 sub-categor\$3 (sub ADJ1 categor\$3) subject\$1 field\$1))) AND @ay<2000)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 19:33